

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	96330	(optical adj navigat\$3 optical adj mouse optical adj device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:39
L7	17894	adjust\$4 adj light	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:00
L8	27030	(sensor\$1 detect\$3) near3 (light adj reflect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:33
L9	8041	measur\$3 adj movement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:34
L10	2076	(light adj level) with (light adj source or light adj emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:35
L11	34	6 same 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:36
L12	231	6 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:36

EAST Search History

L13	50	7 same 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:36
L14	2	12 and 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 20:36
L15	0	("2005/0162375").URPN.	USPAT	OR	OFF	2007/06/07 20:37
L16	130	6 same 8	USPAT	OR	OFF	2007/06/07 20:38
L17	17	7 same 8	USPAT	OR	OFF	2007/06/07 20:38
L18	485	7 and 8	USPAT	OR	OFF	2007/06/07 20:38
L19	1058	6 and 8	USPAT	OR	OFF	2007/06/07 20:38
L20	31	18 and 19	USPAT	OR	OFF	2007/06/07 20:38
L21	0	9 and 20	USPAT	OR	OFF	2007/06/07 20:38
L22	33	(optical adj mouse) with 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 21:08
L23	3	("20050253058" "6256016" "6967321").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/07 20:50
L24	8	("20020061739" "4647771" "4920260" "5086197" "6124587" "6256016" "6330057" "6353478").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/07 20:51
L25	29	("2772479" "3419330" "3432237" "3511150" "3737233" "3856403" "3888589" "4148585" "4188124" "4635059" "4794384" "4815850" "5064280" "5100230" "5148229" "5159406" "5274261" "5274361" "5457529" "5459570" "5557396" "5587785" "5588437" "5610705" "5829009").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/07 21:04
L26	1	8 same 9 and 6	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/07 21:05

EAST Search History

L27	19	8 and 9 and 6	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/07 21:05
L28	6	(optical adj mouse) with 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 21:09
L29	142938	("345"/\$.ccls. or "382"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 21:18
L30	6	8 same 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 21:18
L31	128	8 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 21:18
L32	9	29 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 21:18

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	0	((optical adj navigation adj device) adj (adjustable adj light adj source) with (emit\$4 adj light) with surface and sensor with (light adj reflect\$3) with surface and (light adj receiv\$3) with sensor with (measur\$3 adj movement) with (optical adj navigation adj device) with (relative adj surface) and (light-sensitive adj device) with (light adj source) and (light-sensitive adj device) with (receiv\$3 adj light) with (light adj source) with (regulat\$3 adj light adj emitted) with (light adj source) with (level adj light) with (light-sensitive adj device) and (light-sensitive adj device) with (output adj magnitude) with (level adj light) with (light adj source) and (electronic adj circuit) with (light-sensitive adj device) and (electronic adj circuit) with compar\$3 with (output adj threshold) and (generating adj output adj signal)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 19:41